

DRAFT

Bay-Delta Standards Contained in D-1641



	Contain	neu iii D-1041		
CRITERIA	Oct 08	Nov 08	Dec 08	
FLOW/OPERATIONAL				
Fish and Wildlife				
SWP/CVP Export Limits				
Export/Inflow Ratio	65%			
Minimum Outflow - mon.	3000 cfs	3500 cfs	3500 cfs	
- 7 day avg.	2000 cfs	2500 cfs	2500 cfs	
Striped Bass Survival				
Suisun Marsh				
Habitat Protection Outflow, X2				
River Flows:				
@ Rio Vista - min. mon. avg.	3000 cfs	3500 cfs	3500 cfs	
- 7 day average	2000 cfs	2500 cfs	2500 cfs	
@ Vernalis: Base -min. mon. avg.				
- 7 day average				
Pulse	*1000 cfs			
Delta Cross Channel Gates	* Up to an additional 28 TAF	Conditional: For Nov-Jan period, DCC gates may be closed for up to a total of 45 days		
WATER QUALITY STANDARDS				
Municipal and Industrial				
All Export Locations		<= 250 mg/l Cl		
Contra Costa Canal		<= 150 mg/L Cl for 238 days (All days h	ave been met)	
Agriculture				
Southern Delta	30-day running average EC <= 1.0 mS			
Fish and Wildlife				

19 mS/cm

Water Year Classification: Critical (Based on 05/01/2008 forecast)

SVI (40-30-30 @ 50%) = 5.4 (CRITICAL) Apr 8RI: 1.892 MAF


SJV (60-20-20 @75%) = 2.1(CRITICAL)

15.5 mS/cm - Eastern / 16.5 - Western Marsh sta

San Joaquin River Salinity **Suisun Marsh Salinity**

15.5 mS/cm

SWP & CVP CY 2008 Forecasted Operations



Flows are monthly averages. O&M; cfpl110508.xls